

## Preventive Care Guidelines

This list will be continually updated to reflect both new recommendations and guidelines and revised or removed guidelines. However, those revised specified services must be covered for plan years that begin on or after the date that is one year after the date the recommendation or guideline was/is issued. For example, if updated recommendations are issued in June 2014, benefits would not be updated to reflect those changes until 01/01/2016.

In accordance with Health Care Reform, for **In-Network Providers, Non-Grandfathered Plans** must provide benefits for and prohibit the imposition of cost-sharing requirements (including co-payments, co-insurance or deductibles) with respect to:

1. Evidence-based items or services that have in effect a rating of **"A" or "B"** in the current recommendations of the United States Preventive Services Task Force (USPSTF) with respect to the individual involved.
2. With respect to **women** including **pregnancy**, evidence-informed preventive care and screening, provided for in the comprehensive guidelines supported by Health Resources and Services Administration (HRSA).
3. With respect to **infants, children and adolescents**, evidence-informed preventive care and screenings provided for in guidelines supported by HRSA and Bright Futures.
4. **Immunizations** for routine use in children, adolescents and adults that have in effect a recommendation from the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC) with respect to the individual involved.

Below is the Preventive Care Services, along with coding requirements, to be paid at no-cost sharing for **Non-Grandfathered Plans** only. (Please note in order to pay preventive, the ICD-9 diagnosis codes must be listed on the line item submitted). If a recommendation or guideline does not specify the frequency, method, treatment, or setting for the provision of that service the plan can use reasonable medical management techniques to determine any coverage limitations.

Effective 10/01/2015 any claims incurred after 09/30/2015 will require that they be billed using ICD10 codes.

<h3>Preventive and Wellness Examinations</h3>
<b>Primary Diagnosis Codes to Pay with No Cost-Sharing</b>
ICD-9 Code(s): V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62 ICD-10 Code(s): P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419, Z76.1, Z76.2, Z13.1, Z13.5, Z13.8
<b>Initial Comprehensive Preventive Medicine (New Patient)</b>
Procedure Code(s): 99381, 99382, 99383, 99384, 99385, 99386, 99387 ICD-9 Code(s): Any diagnosis code Limit/Frequency: 1 per calendar year
<b>Initial Preventive Physical Examination</b>
Procedure Code(s): G3044, G0402 ICD-9 Code(s): Any diagnosis code Limit/Frequency: 1 per calendar year
<b>Periodic Comprehensive Preventive Medicine (Established Patient)</b>

**Procedure Code(s):** 99391, 99392, 99393, 99394, 99395, 99396, 99397

**ICD-9 Code(s):** Any diagnosis code

**Limit/Frequency:** 1 per calendar year

## Annual Wellness Visit

**Procedure Code(s):** G0438, G0439

**ICD-9 Code(s):** Any diagnosis code

**Limit/Frequency:** 1 per calendar year

## OB/GYN Wellness Visit: Women

**Procedure Code(s):** Q0091, S0610, S0612, S0613, 87205

**ICD-9 Code(s):** Any diagnosis code

**Limit/Frequency:** 1 per calendar year

## CBC or H&H: All Ages

**Procedure Code(s):** 85025, 85027, 85014, 85018

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, ,Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Chemistry Panels: All Ages

**Procedure Code(s):** 80047, 80048, 80050, 80051, 80053, 82374, 82435, 82565, 82947, 84132, 84295, 84520, 82565, 82040, 82247, 84075, 84155, 84460,84450, 82310, 82330

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, ,Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Lipid Panel: All Ages

**Procedure Code(s):** 80061, 82465, 83718, 84478

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, ,Z01.42, Z01.411, Z04.419, Z76.1, Z76.2, Z13.8

**Limit/Frequency:** 2 per calendar year

## Pregnancy Testing, Urinalysis: Women 9 Years of Age and Older

**Procedure Code:** 81025

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, ,Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 1 per calendar year

## PSA: Men 40 Years of Age and Older

**Procedure Code(s):** 84152, 84153, 84154, G0103

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, ,Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Thyroid Test (TSH): 9 Years of Age and Older

**Procedure Code:** 84443

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Tuberculosis: All Ages

**Procedure Code:** 86580, 86480

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 1 per lifetime

## Tuberculosis: Populations at Increased Risk

USPSTF recommends screening for latent tuberculosis infection in populations at an increased risk.

**Procedure Code(s):** 86580, 86480

**Limit/Frequency:** None

## Urinalysis: All Ages

**Procedure Code(s):** 81000, 81001, 81002, 81003

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Venipuncture & Lab Handling: All Ages

**Procedure Code(s):** 36410, 36415, 36416, 99000

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419, Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Screening for Diabetes: Ages 9 and Older

**Procedure Code:** 82947

**ICD-9 Code(s):** V20—V21.9, V70.0, V70.8—V70.9, V72.3—V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.00, Z00.01, Z00.2, Z00.3, Z00.5, Z00.8, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419, Z76.1, Z76.2, Z13.2

**Limit/Frequency:** 2 per calendar year

## Evidence-Based “A” or “B”: Items or Services

### Screening for Abdominal Aortic Aneurysm

One-time screening for abdominal aortic aneurysm (AAA) for men age 65-75 who have ever smoked.

**Procedure Code(s):** 76700, 76705, 76770, 76775, G0389

**ICD-9 Code:** V15.82

**ICD-10 Code:** Z87.891, F17.210, F17.11, F17.217, F17.218, F17.219

**Limit/Frequency:** Once per lifetime as screening

### Alcohol Misuse Counseling

Screening and behavioral counseling interventions to reduce alcohol misuse in primary care settings.

**Procedure Code(s):** 99385, 99386, 99387, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99408, 99409, 99420, H0001, H0004, \*H0049\*, H0050, G0442, G0443

**Note:** H0049 to include any diagnoses billed in PCP office setting.

**ICD-9 Code(s):** V65.42, V79.1

**ICD-10 Code(s):** Z13.89, Z71.41, Z71.42, Z71.51, Z71.52, Z71.6

**Limit/Frequency:** 8 per calendar year

## Anemia Screening Pregnant Women

Routine screening for iron deficiency anemia in asymptomatic pregnant women.

**Procedure Code(s):** Primary - 85013, 85014, 85018, 85025, 85027, 85041, G0306, G0307

**ICD-9 Code(s):** V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9 V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

## Aspirin to Prevent CVD

The use of aspirin of **men age 45-79** when the potential benefit due to a reduction in myocardial infarctions outweighs the potential harm due to an increase in gastrointestinal hemorrhage.

The use of aspirin for **women age 55-79** when the potential benefit of a reduction in ischemic strokes outweighs the potential harm of an increase in gastrointestinal hemorrhage.

**Please Note:** Should be obtained with a doctor's prescription using the plan's prescription drug plan.

## Statin Preventive Medication

The USPSTF recommends that adults without a history of cardiovascular disease (CVD) (ie, symptomatic coronary artery disease or ischemic stroke) use a low – to moderate – dose statin for prevention of CVD events and mortality when all of the following criteria are met: 1) they are ages 40 to 75 years; 2) they have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension or smoking); and 3) they have a calculated 10-year risk of a cardiovascular event of 10% or greater. Identification of dyslipidemia and calculation of 10-year CVD event risk requires lipids screening in adults ages 40 to 75 years.

**Please Note:** Should be obtained through the prescription drug plan or the pharmacy benefit manager.

## Bacteriuria Screening

Screening for asymptomatic bacteriuria with urine culture for pregnant women at 12-16 weeks gestation or at the first prenatal visit, if later.

**Procedure Code(s):** 87077, 87086, 87088, 87187

**ICD-9 Code(s):** 646.50, 646.53

**ICD-10 Code(s):** O23.30-O23.33, O23.40-O23.43, O98.511-O98.519

## High Blood Pressure Screening

Screening for high blood pressure in adults aged 18 and over. Included in the preventive care office visit.

## Counseling Related to BRCA Screening

Women aged 18 and over who have family members with breast, ovarian, tubal, or peritoneal cancer with one of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (BRCA1 or BRCA2). Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing.

**Procedure Code(s):** 99401, 99402, 99403, 99404, 81162-81166, 96040, 99201, 99205, S0265, 60463

**ICD-9 Code(s):** V10.3, V10.43, V16.3, V16.41

**ICD-10 Code(s):** Z80.3, Z80.41, Z85.3, Z85.43, Z15.02, Z15.09, Z15.01, Z80.49, Z80.9, Z31.5

**Limit/Frequency:** 2 times per lifetime

## Chemoprevention of Breast Cancer (Consultation Only)

Clinicians engage in shared, informed decision making with women who are at increased risk for breast cancer about medications to reduce their risk. For women who are at increased risk for breast cancer and at low risk for adverse medication effects, clinicians should offer to prescribe risk-reducing medications, such as tamoxifen or raloxifene.

**Procedure Code(s):** 99385-99387, 99395-99397, 99401-99404

**ICD-9 Code(s):** V10.3, V16.3, V16.41

**ICD-10 Code(s):** Z80.3, Z80.41, Z85.3, V07.3, V07.39, Z15.01, Z15.02

**Please Note:** Prior approval for actual chemo drugs is recommended; the chemo drugs are subject to cost sharing through the plan's prescription drug plan.

## Breast Cancer Screening ( Mammogram / Mammography)

Screening mammography for women, with or without clinical breast exam, every 1-2 years for women 40 and older.

**Procedure Code(s):** G0202, G0204, G0206, G0279, 76082, 76083, 76090, 76091, 76092, 77051, 77052, 77055, 77056, 77057, 77061, 77062, 77063, 77067

**Revenue Code(s):** 0401, 0403

**ICD-9 Code(s):** V76.1, V76.10, V76.11, V76.12, V76.19 (Note: V10.3, the first one billed will be preventive; additional screenings will be medical not preventive)

**ICD-10 Code(s):** Z12.31, Z12.39 (Note: Z85.3, the first one billed will be preventive; additional screenings will be medical not preventive)

**Limit/Frequency:** 1 per calendar year

## Interventions to Support Breastfeeding

Interventions during pregnancy and after birth to promote and support breastfeeding.

**Procedure Code(s):** 99401, 99402, 99403, 99404, 98960

**ICD-9 Code(s):** V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

## Screening for Cervical Cancer

Screening for cervical cancer in women ages 21 to 65 years with cytology (pap smear) every 3 years, or for women ages 30 to 65 years who want to lengthen the screening interval, screening with a combination of cytology and human papillomavirus (HPV) testing every 5 years.

**Procedure Code(s):** G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091, Q0111, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88164, 88165, 88166, 88167, 88174, 88175

**ICD-9 Code(s):** V72.31, V72.32, V76.2, V76.47

**ICD-10 Code(s):** Z01.411-Z01.419, Z01.42, Z12.4, Z12.72,

**Limit/Frequency:** Once every three years, but not more than once per calendar year – will allow ages 9 and older.

## Screening for Chlamydial Infection: Non-Pregnant Women: 9 Years of Age and Older

Screening for chlamydial infection for all sexually active non-pregnant young women aged 24 and younger and for older non-pregnant women who are at increased risk.

**Procedure Code(s):** 86631, 86632, 87110, 87205, 87210, 87270, 87320, 87490, 87491, 87492, 87810, 87800, 87801

**ICD-9 Code(s):** V73.88, V73.98; V74.5

**ICD-10 Code(s):** Z11.3, Z11.8, Z00.00, Z00.01, Z11.9, Z20.2

## Screening for Chlamydial Infection: Pregnant Women: 9 Years of Age and Older

Recommends screening for chlamydial infection for all pregnant women aged 24 and younger and for older pregnant women who are at increased risk.

**Procedure Code(s):** 86631, 86632, 87110, 87205, 87210, 87270, 87320, 87490, 87491, 87492, 87810, 87800, 87801

**ICD-9 Code(s):** V73.88, V73.98; V74.5, V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z11.3, Z11.8, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93, Z11.9, Z00.00, Z00.01, Z20.2

## Screening for Cholesterol Abnormalities: Men 35 and Older

Screening men aged 35 and older for lipid disorders.

**Procedure Code(s):** 80061, 82465, 83718, 83719, 83721, 84478

**ICD-9 Code(s):** V20-V21.9, V70.0, V70.8-V70.9, V72.3-V72.32, V72.62

**ICD-10 Code(s):** P07.01, P07.02, P07.03, P07.10-P07.18, Z00.2, Z00.3, Z00.5, Z00.8, Z00.00, Z00.01, Z00.70-Z00.71, Z00.110, Z00.111, Z00.121, Z00.129, Z01.42, Z01.411, Z04.419 Z76.1, Z76.2

**Limit/Frequency:** 2 per calendar year

## Screening for Cholesterol Abnormalities: Men 20 - 35

Screening men aged 20 to 35 for lipid disorders if they are at increased risk for coronary heart disease.

**Procedure Code(s):** 80061, 82465, 83718, 83719, 83721, 84478

**ICD-9 Code(s):** V17.3, V17.49, V15.82, V77.91, 278.00, 278.01, 401.0, 401.1, 401.9, 405.01, 405.09, 405.11, 405.19, 405.91, 405.99, 642.01, 642.03, 642.04, 642.11, 642.13, 642.14, 642.21, 642.23, 642.24, 642.30, 642.31, 642.33, 642.34, 642.91, 942.94, 249.00, 249.01, 249.10, 249.11, 249.20, 249.21, 249.30, 249.31, 249.40, 249.41, 249.50, 249.51, 249.60, 249.61, 249.70, 249.71, 249.80, 249.81, 249.90, 249.91, 250.00-250.03, 250.11-250.13, 250.20-250.23, 250.30-250.33, 250.40-250.43, 250.50-250.53, 250.60-250.63, 250.70-250.73, 250.80-250.83, 250.90-250.93, 440.0, 440.1, 440.20-440.24, 440.29-440.32, 440.8, 440.9, 414.00-414.07, V85.41-V85.45

**ICD-10 Code(s):** E08.00, E08.1, E08.8, E08.9, E08.10, E08.11, E08.21, E08.22, E08.29, E08.36, E08.39, E08.40-E08.44, E08.49, E08.51, E08.52, E08.59, E08.65, E08.69, E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E08.351, E08.359, E08.618, E08.620-E08.622, E08.628, E08.630, E08.638, E08.641, E08.649, E09.00, E09.01, E09.8, E09.10, E09.11, E09.21, E09.22, E09.29, E09.36, E09.39, E09.40-E09.44, E09.49, E09.51, E09.52, E09.59, E09.65, E09.69, E09.9, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E09.351, E09.359, E09.610, E09.618, E09.620-E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E10.8, E10.9, E10.10, E10.11, E10.21, E10.22, E10.29, E10.36, E10.39, E10.40, E10.44, E10.49, E10.51, E10.52, E10.59, E10.65, E10.69, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.610, E10.618, E10.620-E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E11.00, E11.01, E11.8, E11.9, E11.21, E11.22, E11.29, E11.36, E11.39, E11.40-E11.44, E11.49, E11.51, E11.52, E11.59, E11.65, E11.69, E11.311, E11.319, E11.321, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.610, E11.618, E11.620-E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E13.00, E13.01, E13.8, E13.9, E13.10, E13.11, E13.21, E13.22, E13.29, E13.36, E13.39, E13.40-E13.44, E13.49, E13.51, E13.52, E13.59, E13.65, E13.69, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.610, E13.618, E13.620-E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E66.1, E66.8, E66.9, E66.01, E66.09, I10, I15.0, I15.1, I15.2, I15.8, I15.9, I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708-I25.711, I25.718-I25.721, I25.728-I25.731, I25.738, I25.739, I25.750, I25.751, I25.758-I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810-I25.812, I70.0, I70.1, I70.8, I70.25, I70.35, I70.45, I70.55, I70.65, I70.75, I70.90, I70.91, I70.201-I70.203, I70.208, I70.209, I70.211-I70.213, I70.218, I70.219, I70.221-I70.223, I70.228, I70.229, I70.231-I70.235, I70.238, I70.239, I70.241-I70.245, I70.248, I70.249, I70.261-I70.263, I70.268, I70.269, I70.291-I70.293, I70.298, I70.299, I70.301-I70.303, I70.308, I70.309, I70.311-I70.313, I70.318, I70.319, I70.321-I70.323, I70.328, I70.329, I70.331-I70.335, I70.338, I70.339, I70.341-I70.345, I70.348, I70.349, I70.361-I70.363, I70.368, I70.369, I70.391-I70.393, I70.398, I70.399, I70.401-I70.403, I70.408, I70.409, I70.411-I70.413, I70.418, I70.419, I70.421-I70.423, I70.428, I70.429, I70.431-I70.435, I70.438-I70.439, I70.441-I70.445, I70.448, I70.449, I70.461-I70.463, I70.468, I70.469, I70.491-I70.493, I70.498, I70.499, I70.501-I70.503, I70.508, I70.509, I70.511-I70.513, I70.518, I70.519, I70.521-I70.523, I70.528, I70.529, I70.531-I70.535, I70.538, I70.539, I70.541-I70.545, I70.548, I70.549, I70.561-I70.563, I70.568, I70.569, I70.591-I70.593, I70.598, I70.599, I70.601-I70.603, I70.608, I70.609, I70.611-I70.613, I70.618, I70.619, I70.621-I70.623, I70.628, I70.629, I70.631-I70.635, I70.638, I70.639, I70.641-I70.645, I70.648, I70.649, I70.661-I70.663, I70.668, I70.669, I70.691-I70.693, I70.698, I70.699, I70.701-I70.703, I70.708, I70.709, I70.711-I70.713, I70.718, I70.719, I70.721-I70.723, I70.728, I70.729, I70.731-I70.735, I70.738, I70.739, I70.741-I70.745, I70.748, I70.749, I70.761-I70.763, I70.768, I70.769, I70.791-I70.793, I70.798, I70.799, N26.2, O10.02, O10.03, O10.011-O10.013,

O10.019, O10.22, O10.23, O10.32, O10.33, O10.42, O10.43, O10.92, O10.93, O10.111-O10.113, O10.119, O10.211-O10.213, O10.219, O10.311-O10.313, O10.411-O10.413, O10.911-O10.913, O11.1-O11.3, O13.1-O13.3, O13.9, O16.1-O16.3, Z13.220, Z68.41-Z68.45, Z82.49, Z87.891

**Limit/Frequency:** 2 per calendar year

## Screening for Cholesterol Abnormalities: Women 45 and Older

Screening women aged 45 and older for lipid disorders if they are at increased risk for coronary heart disease.

**Procedure Code(s):** 80061, 82465, 83718, 83719, 83721, 84478

**ICD-9 Code(s):** Any preventive diagnosis codes

**Limit/Frequency:** 2 per calendar year.

## Screening for Cholesterol Abnormalities: Women 20 - 45 at Increased Risk of Coronary Heart Disease

Screening women aged 20 - 45 for lipid disorders if they are at increased risk for coronary heart disease.

**Procedure Code(s):** 80061, 82465, 83718, 83719, 83721, 84478

**ICD-9 Code(s):** V17.3, V17.49, V15.82, V77.91, 278.00, 278.01, 401.0, 401.1, 401.9, 405.01, 405.09, 405.11, 405.19, 405.91, 405.99, 642.01, 642.03, 642.04, 642.11, 642.13, 642.14, 642.21, 642.23, 642.24, 642.30, 642.31, 642.33, 642.34, 642.91, 942.94, 249.00, 249.01, 249.10, 249.11, 249.20, 249.21, 249.30, 249.31, 249.40, 249.41, 249.50, 249.51, 249.60, 249.61, 249.70, 249.71, 249.80, 249.81, 249.90, 249.91, 250.00-250.03, 250.11-250.13, 250.20-250.23, 250.30-250.33, 250.40-250.43, 250.50-250.53, 250.60-250.63, 250.70-250.73, 250.80-250.83, 250.90-250.93, 440.0, 440.1, 440.20-440.24, 440.29-440.32, 440.8, 440.9, 414.00-414.07, V85.41-V85.45

**ICD-10 Code(s):** E08.00, E08.1, E08.8, E08.9, E08.10, E08.11, E08.21, E08.22, E08.29, E08.36, E08.39, E08.40-E08.44, E08.49, E08.51, E08.52, E08.59, E08.65, E08.69, E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E08.351, E08.359, E08.618, E08.620-E08.622, E08.628, E08.630, E08.638, E08.641, E08.649, E09.00, E09.01, E09.8, E09.10, E09.11, E09.21, E09.22, E09.29, E09.36, E09.39, E09.40-E09.44, E09.49, E09.51, E09.52, E09.59, E09.65, E09.69, E09.9, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E09.351, E09.359, E09.610, E09.618, E09.620-E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E10.8, E10.9, E10.10, E10.11, E10.21, E10.22, E10.29, E10.36, E10.39, E10.40, E10.44, E10.49, E10.51, E10.52, E10.59, E10.65, E10.69, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.610, E10.618, E10.620-E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E11.00, E11.01, E11.8, E11.9, E11.21, E11.22, E11.29, E11.36, E11.39, E11.40-E11.44, E11.49, E11.51, E11.52, E11.59, E11.65, E11.69, E11.311, E11.319, E11.321, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.610, E11.618, E11.620-E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E13.00, E13.01, E13.8, E13.9, E13.10, E13.11, E13.21, E13.22, E13.29, E13.36, E13.39, E13.40-E13.44, E13.49, E13.51, E13.52, E13.59, E13.65, E13.69, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.610, E13.618, E13.620-E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E66.1, E66.8, E66.9, E66.01, E66.09, I10, I15.0, I15.1, I15.2, I15.8, I15.9, I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708-I25.711, I25.718-I25.721, I25.728-I25.731, I25.738, I25.739, I25.750, I25.751, I25.758-I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810-I25.812, I70.0, I70.1, I70.8, I70.25, I70.35, I70.45, I70.55, I70.65, I70.75, I70.90, I70.91, I70.201-I70.203, I70.208, I70.209, I70.211-I70.213, I70.218, I70.219, I70.221-I70.223, I70.228, I70.229, I70.229, I70.231-I70.235, I70.238, I70.239, I70.241-I70.245, I70.248, I70.249, I70.261-I70.263, I70.268, I70.269, I70.291-I70.293, I70.298, I70.299, I70.301-I70.303, I70.308, I70.309, I70.311-I70.313, I70.318, I70.319, I70.321-I70.323, I70.328, I70.329, I70.331-I70.335, I70.338, I70.339, I70.341-I70.345, I70.348, I70.349, I70.361-I70.363, I70.368, I70.369, I70.391-I70.393, I70.398, I70.399, I70.401-I70.403, I70.408, I70.409, I70.411-I70.413, I70.418, I70.419, I70.421-I70.423, I70.428, I70.429, I70.431-I70.435, I70.438-I70.439, I70.441-I70.445, I70.448, I70.449, I70.461-I70.463, I70.468, I70.469, I70.491-I70.493, I70.498, I70.499, I70.501-I70.503, I70.508, I70.509, I70.511-I70.513, I70.518, I70.519, I70.521-I70.523, I70.528, I70.529, I70.531-I70.535, I70.538, I70.539, I70.541-I70.545, I70.548, I70.549, I70.561-I70.563, I70.568, I70.569, I70.591-I70.593, I70.598, I70.599, I70.601-I70.603, I70.608, I70.609, I70.611-I70.613, I70.618, I70.619, I70.621-I70.623, I70.628, I70.629, I70.631-I70.635, I70.638, I70.639, I70.641-I70.645, I70.648, I70.649, I70.661-I70.663, I70.668, I70.669, I70.691-I70.693, I70.698, I70.699, I70.701-I70.703, I70.708, I70.709, I70.711-I70.713, I70.718, I70.719, I70.721-I70.723, I70.728, I70.729, I70.731-I70.735, I70.738, I70.739, I70.741-I70.745, I70.748, I70.749, I70.761-I70.763, I70.768, I70.769, I70.791-I70.793, I70.798, I70.799, N26.2, O10.02, O10.03, O10.011-O10.013, O10.019, O10.22, O10.23, O10.32, O10.33, O10.42, O10.43, O10.92, O10.93, O10.111-O10.113, O10.119, O10.211-O10.213, O10.219, O10.311-O10.313, O10.411-O10.413, O10.911-O10.913, O11.1-O11.3, O13.1-O13.3, O13.9, O16.1-O16.3, Z13.220, Z68.41-Z68.45, Z82.49, Z87.891

**Limit/Frequency:** 2 per calendar year.

## Screening for Colorectal Cancer — Note: Some plans require precertification

Screening for colorectal cancer (CRC) using fecal occult blood testing, sigmoidoscopy, cologuard or colonoscopy, in adults, beginning at age 45 years and continuing until age 75 years. The risks and benefits of these screening methods vary.

**Procedure Code(s):** 44388, 44389, 44392, 44393, 44394, 45330, 45331, 45333, 45338, 45339, 45378, 45380, 45383, 45384, 45385, 74263, 82270, 82274, 88304, 88305, G0104, G0105, G0106, G0120, G0121, G0122, G0328, 81528, G0464

**ICD-9 Code(s):** V16.0, V18.51, V18.59, V76.41, V76.50, V76.51

**ICD-10 Code(s):** Z12.10, Z12.11, Z12.12, Z80.0, Z83.71, Z83.79, Z85.00 – Z85.01, Z85.020, Z85.028, Z85.810, Z85.818, Z85.030, Z85.819, Z85.040, Z85.048

**Frequency:** **Fecal occult blood**, 1 per calendar year; **Colonoscopy**, 1 every 10 years, **Sigmoidoscopy** every 5 years, **Cologuard CPT 81528, G0464** once every 3 years

## Chemoprevention of Dental Caries

Primary care clinicians prescribe oral fluoride supplementation at currently recommended doses to preschool children older than 6 months of age whose primary water source is deficient in fluoride.

**Procedure Code(s):** D1201, D1203, D1206

**Please Note:** Should be obtained with a doctor's prescription using the plan's prescription drug plan, if not billed by primary care physician.

## Screening for Depression: Adolescents

Screening of adolescents (12-18 years of age) for major depressive disorder (MDD) when systems are in place to ensure accurate diagnosis, psychotherapy (cognitive-behavioral or interpersonal), and follow-up.

**Procedure Code:** 99420, 96127, G0444

**ICD-9 Code:** V79.0

**ICD-10 Code:** Z13.89, Z00.129

## Screening for Depression: Adults (18 and older)

Screening adults for depression when staff-assisted depression care supports are in place to assure accurate diagnosis, effective treatment, and follow-up.

**Procedure Code:** 99420, 96127, G0444

**ICD-9 Code:** V79.0

**ICD-10 Code :** Z13.89, Z00.129

## Screening for Diabetes

Screening for type 2 diabetes in asymptomatic adults (18 and older) with sustained blood pressure (either treated or untreated) greater than 135/80 mm/Hg.

**Procedure Code(s):** 82947, 82948, 82950, 82951, 82952, 82962, 83036

**ICD-9 Code(s):** V70.0, V70.8—V70.9, V72.3—V72.32, V72.62, V77.1

**ICD-10 Code(s):** Z00.00-Z00.01, Z00.5, Z00.70-Z00.71, Z00.8, Z01.419, Z04.419, Z01.42, Z13.1

**Limit/Frequency:** 1 per calendar year

## Screening for Lung Cancer: Ages 55 to 80 with Smoking History

Recommends routine annual screen for lung cancer with low-dose computed tomography in adults ages 55 to 80 years who have a 30 pack-year smoking history and currently smoker or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.

**Procedure Code(s):** 71250 – 71270, G0297

**ICD-9 Code(s):** V76.0 and/or V65.42 and/or 305.1 and/or V15.82 with no other diagnoses listed

**ICD-10 Code(s):** Z12.2 and/or Z71.41, Z71.42, Z71.51, Z71.52, Z71.6 and/or F17.200, F17.201, F17.210, F17.211, F17.220, F17.221, F17.290, F17.291 and/or Z87.891 with no other diagnoses listed

**Limit/Frequency:** 1 per calendar year

**Please Note:** Several plans require prior authorization for Cat Scans. Prior authorization is still required if guidelines are met as indicated in the recommendation above.

## Supplementation with Folic Acid

All women planning or capable of pregnancy should take a daily supplement containing 0.4 to 0.8 mg (400 to 800 µg) of folic acid.

**Please Note:** Should be obtained with a doctor's prescription using the plan's prescription drug plan.



## Prophylactic Medication for Gonorrhea: Newborns

Prophylactic ocular topical medication for all newborns against gonococcal ophthalmia neonatorum

**Please Note:** Part of the inpatient hospital charges.

## Screening for Gonorrhea: Women

Clinicians screen all sexually active women, including those who are pregnant, for gonorrhea infection if they are at increased risk for infection (that is, if they are young or have other individual or population risk factors).

**Procedure Code(s):** 87081, 87205, 87210, 87320, 87492, 87590, 87591, 87592, 87800, 87801, 87850

**ICD-9 Code(s):** V02.7, V74.5, V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z11.3, Z22.4, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93, Z00.00, Z00.01, Z11.59

## Counseling for a Healthy Diet

Intensive behavioral dietary counseling for adult patients with hyperlipidemia and other known risk factors for cardiovascular and diet-related chronic disease. Intensive counseling can be delivered by primary care clinicians or by referral to other specialists, such as nutritionists or dietitians.

**Procedure Code(s):** 97802, 97803, 97804, 98960, 99401, 99402, 99403, 99404, 99411, 99412, G0270, G0271, S9470, G0473, G0446, G0447, G0473

**ICD-9 Code(s):** 272.0 or 272.1 or 272.2 or 272.3 or 272.4 AND billed with one or more of the following: V17.3, V17.49, V15.82, V65.3, V65.41, V77.91, V85.41, V85.42, V85.43, V85.44, V85.45, 249.00, 249.01, 249.10, 249.11, 249.20, 249.21, 249.30, 249.31, 249.40, 249.41, 249.50, 249.51, 249.60, 249.61, 249.70, 249.71, 249.80, 249.81, 249.90, 249.91, 250.00, 250.01, 250.02, 250.03, 250.10, 250.11, 250.12, 250.13, 250.20, 250.21, 250.22, 250.23, 250.30, 250.31, 250.32, 250.33, 250.40, 250.41, 250.42, 250.43, 250.50, 250.51, 250.52, 250.53, 250.60, 250.61, 250.62, 250.63, 250.70, 250.71, 250.72, 250.73, 250.80, 250.81, 250.82, 250.83, 250.90, 250.91, 250.92, 250.93, 278.00, 278.01, 401.0, 401.1, 401.9, 405.01, 405.09, 405.11, 405.19, 405.91, 405.99, 414.00, 414.01, 414.02, 414.03, 414.04, 414.05, 414.06, 414.07, 440.0, 440.1, 440.20, 440.21, 440.22, 440.23, 440.24, 440.29, 440.30, 440.31, 440.32, 440.8, 440.9, 642.01, 642.03, 642.04, 642.11, 642.13, 642.14, 642.21, 642.23, 642.24, 642.30, 642.31, 642.33, 642.34, 642.91, 642.93, 642.94

**ICD-10 Code(s)** **E78.0 or E78.1 or E78.2 or E78.3 or E78.4 or E78.5 OR Z13.20 and billed with one or more of the following:** E08.00, E08.1, E08.8, E08.9, E08.10, E08.11, E08.21, E08.22, E08.29, E08.36, E08.39, E08.40-E08.44, E08.49, E08.51, E08.52, E08.59, E08.65, E08.69, E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E08.351, E08.359, E08.618, E08.620-E08.622, E08.628, E08.630, E08.638, E08.641, E08.649, E09.00, E09.01, E09.8, E09.10, E09.11, E09.21, E09.22, E09.29, E09.36, E09.39, E09.40-E09.44, E09.49, E09.51, E09.52, E09.59, E09.65, E09.69, E09.9, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E09.351, E09.359, E09.610, E09.618, E09.620-E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E10.8, E10.9, E10.10, E10.11, E10.21, E10.22, E10.29, E10.36, E10.39, E10.40, E10.44, E10.49, E10.51, E10.52, E10.59, E10.65, E10.69, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.610, E10.618, E10.620-E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E11.00, E11.01, E11.8, E11.9, E11.21, E11.22, E11.29, E11.36, E11.39, E11.40-E11.44, E11.49, E11.51, E11.52, E11.59, E11.65, E11.69, E11.311, E11.319, E11.321, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.610, E11.618, E11.620-E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E13.00, E13.01, E13.8, E13.9, E13.10, E13.11, E13.21, E13.22, E13.29, E13.36, E13.39, E13.40-E13.44, E13.49, E13.51, E13.52, E13.59, E13.65, E13.69, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.610, E13.618, E13.620-E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E66.1, E66.8, E66.9, E66.01, E66.09, I10, I15.0, I15.1, I15.2, I15.8, I15.9, I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708-I25.711, I25.718-I25.721, I25.728-I25.731, I25.738, I25.739, I25.750, I25.751, I25.758-I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810-I25.812, I70.0, I70.1, I70.8, I70.25, I70.35, I70.45, I70.55, I70.65, I70.75, I70.90, I70.91, I70.201-I70.203, I70.208, I70.209, I70.211-I70.213, I70.218, I70.219, I70.221-I70.223, I70.228, I70.229, I70.231-I70.235, I70.238, I70.239, I70.241-I70.245, I70.248, I70.249, I70.261-I70.263, I70.268, I70.269, I70.291-I70.293, I70.298, I70.299, I70.301-I70.303, I70.308, I70.309, I70.311-I70.313, I70.318, I70.319, I70.321-I70.323, I70.328, I70.329, I70.331-I70.335, I70.338, I70.339, I70.341-I70.345, I70.348, I70.349, I70.361-I70.363, I70.368, I70.369, I70.391-I70.393, I70.398, I70.399, I70.401-I70.403, I70.408, I70.409, I70.411-I70.413, I70.418, I70.419, I70.421-I70.423, I70.428, I70.429, I70.431-I70.435, I70.438-I70.439, I70.441-I70.445, I70.448, I70.449, I70.461-I70.463, I70.468, I70.469, I70.491-I70.493, I70.498, I70.499, I70.501-I70.503, I70.508, I70.509, I70.511-I70.513, I70.518, I70.519, I70.521-I70.523, I70.528, I70.529, I70.531-I70.535, I70.538, I70.539, I70.541-I70.545, I70.548, I70.549, I70.561-I70.563, I70.568, I70.569, I70.591-I70.593, I70.598, I70.599, I70.601-I70.603, I70.608, I70.609, I70.611-I70.613, I70.618, I70.619, I70.621-I70.623, I70.628, I70.629, I70.631-I70.635, I70.638, I70.639, I70.641-I70.645, I70.648, I70.649, I70.661-I70.663, I70.668, I70.669, I70.691-I70.693, I70.698,

I70.699, I70.701-I70.703, I70.708, I70.709, I70.711-I70.713, I70.718, I70.719, I70.721-I70.723, I70.728, I70.729, I70.731-I70.735, I70.738, I70.739, I70.741-I70.745, I70.748, I70.749, I70.761-I70.763, I70.768, I70.769, I70.791-I70.793, I70.798, I70.799, N26.2, O10.02, O10.03, O10.011-O10.013, O10.019, O10.22, O10.23, O10.32, O10.33, O10.42, O10.43, O10.92, O10.93, O10.111-O10.113, O10.119, O10.211-O10.213, O10.219, O10.311-O10.313, O10.411-O10.413, O10.911-O10.913, O11.1-O11.3, O13.1-O13.3, O13.9, O16.1-O16.3, O16.9, Z13.220, Z68.41-Z68.45, Z71.3, Z71.89, Z82.49, Z87.891

**Limit/Frequency:** 3 dates of service per calendar year

## Screening for Hearing Loss - Newborns

Screening for hearing loss in all newborn infants (Birth to 4 months of age).

**Procedure Code(s):** V5008, 92551, 92552, 92585, 92586, 92650, 92587, 92588

**ICD-9 Code(s):** Regardless of diagnosis

## Screening for Hemoglobinopathies (Sickle Cell Disease): Birth to 4 Months of Age

Screening for sickle cell disease in newborns. (Birth to 4 months of age).

**Procedure Code(s):** S3850, 83020, 83021, 83030, 83033, 83051

**ICD-9 Code(s):** Regardless of diagnosis.

## Screening for Hepatitis B: Pregnant Women at First Prenatal Visit

Strongly recommends screening for hepatitis B virus (HBV) infection in pregnant women at their first prenatal visit.

**Procedure Code(s):** 87340, 87515, 87516, 87517, 87341

**ICD-9 Code(s):** V02.61, V74.5, V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z11.3, Z22.51, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93, Z00.00, Z00.01

## Screening for Hepatitis C: Birth Year 1945 to 1965

Recommends screening for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965.

**Procedure Code(s):** 86803, 86804, G0472

**ICD-9 Code(s):** Any preventive diagnosis listed as primary

**Limit/Frequency:** Once per lifetime

## Screening for Human Immune - Deficiency Virus (HIV): Adolescents and Adults

Strongly recommends that clinicians screen for human immunodeficiency virus (HIV) all adolescents and adults (ages 13–64) at increased risk for HIV infection.

**Procedure Code(s):** 86689, 86701, 86702, 86703, 87389, 87391, 87390, 87534, 87535, 87536, 87537, 87538, 87539, G0432, G0433, G0435, S3645, G0475

**ICD-9 Code(s):** V01.7, V02.9 OR V74.5, V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V69.2, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z22.6, Z22.8, Z22.9 OR Z11.3, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

## Screening for Congenital Hypothyroidism: Birth to 4 Months of Age

Screening for congenital hypothyroidism in newborns.

**Procedure Code(s):** 84437, 84443

**ICD-9 Code(s):** Regardless of diagnosis

## Intimate Partner Violence Screening: Women

Screening women of childbearing age for intimate partner violence, such as domestic violence, and provide or refer women who screen positive to intervention services. This recommendation applies to women who do not have signs or symptoms of abuse. Included in Wellness Exam.

## Iron Supplementation in Children

Routine iron supplementation for asymptomatic children 6 - 12 months who are at increased risk for iron deficiency anemia.

**Please Note:** Should be obtained with a doctor's prescription using the plan's prescription drug plan.

## Screening for Obesity: Adults

Recommends screening all adults (18 and older) for obesity. Clinicians should offer or refer patients with a body mass index of 30 kg/m<sup>2</sup> or higher to intensive, multicomponent behavioral interventions.

**Procedure Code(s):** 97802, 97803, 97804, 98960, 99401, 99402, 99403, 99404, 99420, G0447, G0446, G0473, 97802

**ICD-9 Code(s):** V65.3, V77.8, 278.00, 278.01

**ICD-10 Code(s):** E66.01, E66.09, E66.1, E66.8, E66.9, Z71.3, Z13.89, Z68.30, Z68.31, Z68.63, Z68.34, Z68.35 – Z68.39, R73.09

**Limit/Frequency:** 6 per calendar year

## Screening and Counseling for Obesity: Children

Screen children 6 - 17 for obesity and offer them or refer them to comprehensive, intensive behavioral interventions to promote improvement in weight status.

**Procedure Code(s):** 97802, 97803, 97804, 98960, 99401, 99402, 99403, 99404, 99420, G0447, G0446, G0473, 97802

**ICD-9 Code(s):** V65.3, V77.8, 278.00, 278.01

**ICD-10 Code(s):** E66.01, E66.09, E66.1, E66.8, E66.9, Z71.3, Z13.89, R73.09

## Screening for Osteoporosis (Dexascan / Bone Density)

Recommends screening for osteoporosis in women age 65 years and older and in younger women whose fracture risk is equal to or greater than that of a 65-year-old white woman who has no additional risk factors.

**Procedure Code(s):** 76977, 77078, 77079, 77080, 77081, 77082, 77083, 78350, 78351, 99420, G0130

**ICD-9 Code:** V82.81

**ICD-10 Code:** Z13.820, Z00.00, Z00.01, Z82.62

**Women younger than 65 with greater fracture risk.**

**Procedure Code(s):** 76977, 77078, 77079, 77080, 77081, 77082, 77083, 78350, 78351, 99420, G0130

**ICD-9 Code(s):** V1781 or V82.81 and/or V07.4, V15.82, V17.81, V49.81, V85.0, 627.2, V58.65

**ICD-10 Code(s):** Z82.62 or Z13.80 and/or N95.1, Z13.820, Z68.1, Z78.0, Z79.51, Z79.52, Z79.890, Z82.62, Z87.891, Z13.8, M81.0

**Limit/Frequency:** 1 every 2 calendar year

## Screening for PKU: Birth to 4 Months of Age

Screening for phenylketonuria (PKU) in newborns.

**Procedure Code(s):** S3620, 84030

**ICD-9 Code(s):** Regardless of diagnosis.

## Screening for Rh Incompatibility: First Pregnancy Visit

Strongly recommends Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care.

**Procedure Code:** 86901

**ICD-9 Code(s):** V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

## Screening for Rh Incompatibility: 24 - 28 Weeks Gestation

Repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24-28 weeks' gestation, unless the biological father is known to be Rh (D)-negative.

**Procedure Code(s):** 86901

**ICD-9 Code(s):** V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

## Counseling for Sexually Transmitted Infections (STI's)

Recommends high-intensity behavioral counseling to prevent sexually transmitted infections (STIs) for all sexually active adolescents and for adults at increased risk for STIs.

**Procedure Code(s):** 99401, 99402, 99403, 99404, G0445

**ICD-9 Code:** V65.45

**ICD-10 Code:** Z71.89, Z71.9

**Limit/Frequency:** 1 per calendar year

## Skin Cancer Behavioral Counseling

Recommends counseling children, adolescents, and young adults ages 10 to 24 years who have fair skin about minimizing their exposure to ultraviolet radiation to reduce risk for skin cancer. Included in Wellness Exam.

## Screening for Syphilis: Non-Pregnant Persons

Strongly recommends that clinicians screen persons at increased risk for syphilis infection.

**Procedure Code(s):** 86592, 86593, 86781, 87164, 87166, 87205, 87210, 87285, 87320

**ICD-9 Code(s):** V65.45, V74.5, V74.9

**ICD-10 Code(s):** Z11.2, Z11.3, Z71.89, Z00.00 – Z00.01, Z11.9, Z20.2

## Screening for Syphilis: Pregnant Women

Recommends that clinicians screen all pregnant women for syphilis infection.

**Procedure Code(s):** 86592, 86593, 86781, 87164, 87166, 87205, 87210, 87285, 87320

**ICD-9 Code(s):** V65.45, V74.5, V74.9, V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z11.2, Z11.3, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93, Z71.89

## Counseling for Tobacco Use: Adults

Recommends that clinicians ask all adults about tobacco use and provide tobacco cessation interventions for those who use tobacco products.

**Procedure Code(s):** 99401, 99402, 99403, 99404, 99406, 99407, G0436, G0437

**ICD-9 Code(s):** V65.42, 305.1

**ICD-10 Code(s):** F17.200, F17.201, F17.210, F17.211, F17.220, F17.221, F17.290, F17.291, Z71.41, Z71.42, Z71.51, Z71.52, Z71.6, Z87.891

**Limit/Frequency:** 12 sessions per calendar year

## Counseling for Tobacco Use: Children and Adolescents

Recommends that clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Ages 6 to 18.

**Procedure Code(s):** 99401, 99402, 99403, 99404, 99406, 99407, G0436, G0437

**ICD-9 Code(s):** V65.42, 305.1

**ICD-10 Code(s):** F17.200, F17.201, F17.210, F17.211, F17.220, F17.221, F17.290, F17.291, Z71.41, Z71.42, Z71.51, Z71.52, Z71.6, Z87.891

**Limit/Frequency:** 12 sessions per calendar year

## Counseling for Tobacco Use: Pregnant Women

Ask all pregnant women about tobacco use and provide augmented, pregnancy-tailored counseling to those who smoke.

**Procedure Code(s):** 99401, 99402, 99403, 99404, 99406, 99407, G0436, G0437

**ICD-9 Code(s):** V65.42, 649.00, 305.1, V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** F17.200, F17.201, F17.210, F17.211, F17.220, F17.221, F17.290, F17.291, O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, O99.330, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93, Z71.41, Z71.42, Z71.51, Z71.52, Z71.6

**Limit/Frequency:** 12 sessions per calendar year

## Screening for Visual Acuity in Children

Recommends vision screening for all children at least once between the ages of 3 and 5 years, to detect the presence of amblyopia or its risk factors.

**Procedure Code(s):** 99172, 99173

**ICD-9 Code:** V20.2, V72.0

**ICD-10 Code:** Z00.121, Z00.129, Z01.00, Z01.01

## Pre-Eclampsia Screening

The USPSTF recommends that clinicians screen for pre-eclampsia in pregnant women with blood pressure measurements throughout pregnancy.

## Health Resources and Services Administration Supported Women's Preventive Services

### Pregnancy Diagnoses

**ICD-9 Code(s):** V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V91.00-V91.03, V19.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

### Well-Woman Visits

Well-woman preventive care visit annually for adult women to obtain the recommended preventive services that are age and developmentally appropriate, including preconception and prenatal care.

**Procedure Code(s):** 99201—99205, 99211—99215, 99078

### Screening for Gestational Diabetes

In pregnant women between 24 and 28 weeks of gestation and at the first prenatal visit for pregnant women identified to be at high risk for diabetes.

**Procedure Code(s):** 82947, 82948, 82950, 82951, 82952, 82962, 83036, (36415, 36416 when billed with these codes) with a pregnancy diagnosis

**ICD-9 Code(s):** V22.0-V22.2, V23.0-V23.3, V23.41, V23.42, V23.49, V23.5, V23.7, V23.81-V23.86, V23.87, V23.89, V23.9, V28.9, V91.00-V91.03, V91.09, V91.10-91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99

**ICD-10 Code(s):** O09.00-O09.03, O09.10-O09.13, O09.291, O09.40-O09.43, O09.211-O09.219, O09.291-O09.299, O09.511-O09.529, O09.611-O09.629, O09.811-O09.829, O09.891-O09.899, O09.30-O09.33, O09.70-O09.73, O09.90-O09.93, O36.80X0-O36.80X9, Z36, O30.001-O30.020, O30.031-O30.049, O30.091-O30.129, O30.191-O30.229, O30.291-O30.299, O30.801-O30.829, O30.891-O30.899, Z33.1, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93

### Human Papillomavirus Testing

High-risk human papillomavirus DNA testing in women with normal cytology results. Screening should begin at 30 years of age and should occur no more frequently than every 3 years.

**Procedure Code(s):** 87620 87621 87622 87623 87624

**ICD-9 Code(s):** V70.0, V72.31, V73.81 or V76.2

**ICD-10 Code(s):** Z00.00, Z00.01, Z01.411, Z01.419, Z04.419, Z11.51, Z12.4

## Counseling for Sexually Transmitted Infections (STI's)

Recommends high-intensity behavioral counseling to prevent sexually transmitted infections (STIs) for all sexually active adolescents and for adults at increased risk for STIs.

**Procedure Code(s):** 99401, 99402, 99403, 99404, G0445

**ICD-9 Code:** V65.45

**ICD-10 Code:** Z71.89

**Limit/Frequency:** 1 per calendar year

## Counseling and Screening for Human Immune-Deficiency Virus (HIV)

Counseling and screening for human immune-deficiency virus infection for all sexually active women.

**Counseling Procedure Code(s):** 99401-99404, G0445,

**Counseling ICD-9 Code(s):** V65.44, V65.45

**Counseling ICD-10 Code(s):** Z71.7, Z71.89

**See A/B recommendations on screening/testing.**

**Limit/Frequency:** 1 per calendar year

## Contraceptive Methods and Counseling

All Food and Drug Administration approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity. As prescribed. (generic contraceptives are no cost sharing; brand will be copay unless generic not available)

**Sterilization Procedure Code(s):** 58565, 58600, 58605, 58611, 58615, 58670, 58671, A4264, J7296, J7297, J7298, 58661\* (Only when billed with sterilization/prevention diagnoses only)

**Filling of Diaphragm/Cap Procedure Code(s):** 57170, A4261, A4266, J7300

**Other Contraceptives Procedure Code(s):** 11976, 11981, 58300, 58301, J1050, J1051, J1055, J1056, J7302, J7303, J7304, J7306, J7307, J3490, S4981, S4989, J7301, J72297, J7298, 58611, 11982, 11983, 11976, 96372

**Sterilization Anesthesia Procedure Code(s):** 00851, 00940, 00942, 00950, 00952, 01960, 01961, 01965-01968, Z30.017

**ICD-9 Code(s):** V25.01, V25.02, V25.03, V25.09 V25.11, V25.12, V25.13, V25.40, V25.41, V25.42 V25.43, V25.49, V25.5, V25.8, V25.9; sterilization procedures requires diagnosis code of V25.2

**ICD-10 Code(s):** Z30.09, Z30.Z30.011-Z30.019, Z30.40-Z30.42, Z30.49, Z30.430-Z30.433, Z30.8, Z30.9, Z30.02, Z30.09, Z30.4, Z30.9, Z31.61, Z31.6, Z31.89, Z31.9, Z30.4 – Z30.49; sterilization procedures requires diagnosis code of Z30.2

## Breastfeeding Support, Supplies, and Counseling

Comprehensive lactation support and counseling, by a trained provider during pregnancy and/or in the postpartum period, and costs for renting breastfeeding equipment. In conjunction with each birth. (Secure Health will cover purchase at in-network provider. Rental charges above total purchase price are not covered).

**Lactation Classes:** S9943

**E & M Codes when billed with V24.1:** 98960, 99241-99245; 99341-99345, 99347-99350

**ICD-10 Code E & M Codes when billed with Z39.1:** 98960, 99241-99245; 99341-99345, 99347-99350

**DME and Supplies:** E0602, E0603, E0604, A4281, A4282, A4283, A4284, A4285, A4286 — Regardless of diagnosis, precert is not required, but medical necessity if subsequent.

## Screening and Counseling for Interpersonal and Domestic Violence

Annually. Included in Wellness Exams.

# Evidence-Informed Preventive Care and Screenings for

# Infants, Children and Adolescents

## Infancy: Prenatal Visit

**Procedure Code(s):** 99241, 99242, 99243, 99244, 99245, 99381, 99401, 99402, 99403, 99404, 99429, 99499

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Infancy: First Week Visit

**Procedure Code(s):** 99381, 99391

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Infancy: 1 Month Visit

**Procedure Code(s):** 99381, 99391

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Infancy: 2 Month Visit

**Procedure Code(s):** 99381, 99391

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Infancy: 4 Month Visit

**Procedure Code(s):** 99381, 99391

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Infancy: 6 Month Visit

**Procedure Code(s):** 99381, 99391

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Infancy: 9 Month Visit

**Procedure Code(s):** 99381, 99391

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 12 Month Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 15 Month Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 18 Month Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 2 Years Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 2 1/2 Years Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 3 Years Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Early Childhood: 4 Years Visit

**Procedure Code(s):** 99382, 99392

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Middle Childhood: 5 and 6 Years Visit

**Procedure Code(s):** 99383, 99393

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Middle Childhood: 7 and 8 Years Visit

**Procedure Code(s):** 99383, 99393

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Middle Childhood: 9 and 10 Years Visit

**Procedure Code(s):** 99383, 99393

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898



## Early Adolescence: 11 — 14 Years Visit

**Procedure Code(s):** 99383, 99384, 99393, 99394

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Middle Adolescence: 15 — 17 Years Visit

**Procedure Code(s):** 99384, 99394

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Late Adolescence: 18 — 21 Years Visit

**Procedure Code(s):** 99385, 99395

**ICD-9 Code(s):** V20.0—V21.9, V70.0, V72.0, V72.62

**ICD-10 Code(s):** P07.01-P07.03, P07.10, P07.14-P07.18, Z00.2, Z00.3, Z00.00, Z00.01, Z01.00, Z01.01, Z00.110, Z00.111, Z00.121, Z00.129, Z76.1, Z76.2, Z87.898

## Lead Screening

**Procedure Code:** 83655

**ICD-9 Code(s):** V20.2, V15.86, V82.5

**ICD-10 Code(s):** Z00.121, Z00.129, Z13.88, Z77.011

## Vision Screening

Recommends vision screening for all children at least once between the ages of 3 and 5 years, to detect the presence of amblyopia or its risk factors.

**Procedure Code(s):** 99172, 99173

**ICD-9 Code:** V20.2, V72.0

**ICD-10 Code:** Z00.121, Z00.129, Z01.00, Z01.01

## Hearing Screening

**Procedure Code:** 92251, 92552, 92567, 92587

**ICD-9 Code:** V20.2

**ICD-10 Code:** Z00.121, Z00.129

## Development Screening

**Procedure Code:** 96110

**ICD-9 Code:** V20.2

**ICD-10 Code:** Z00.121, Z00.129, Z13.4

## Depression Screening – Age 11-18

**Procedure Code:** 96127, G0444, 99420

**ICD-10 Code:** Z00.129, Z13.89

**Procedure Code:** 96110

**ICD-9 Code:** V20.2

**ICD-10 Code:** Z00.121, Z00.129, Z13.4

## Immunizations — Mandated Routine Benefits With No Cost Sharing

## Administration

Allow for recommended immunizations.

**Procedure Code(s):** 90460, 90461, 90470, 90471, 90472, 90473, 90474, G0008, G0009, G0010, G9141, Rev 0771

**ICD-9 Code(s):** V03.81, V03.82, V03.89, V040.0, V04.81, V04.89, V05.3, V05.4, V06.1, V06.3, V06.4, V06.5, V06.8

**ICD-10 Code(s):** Z23

## Anthrax

**Procedure Code:** 90581

## Diphtheria Toxoids

**Procedure Code:** 90719

## Diphtheria and Tetanus Toxoids: Younger than 7 Years of Age

**Procedure Code:** 90702

## Diphtheria and Tetanus Toxoids: 7 Years of Age and Older

**Procedure Code(s):** 90714, 90718

## Diphtheria, Tetanus Toxoids, Acellular Pertussis: Younger than 7 Years of Age

**Procedure Code:** 90700

## Diphtheria, Tetanus Toxoids, Acellular Pertussis: 7 Years of Age and Older

**Procedure Code:** 90715

## Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hepatitis B, and Poliovirus Vaccine: 4 to 6 Years of Age

**Procedure Code:** 90696

## Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine, Hepatitis B, and Poliovirus Vaccine

**Procedure Code:** 90723

## Diphtheria, Tetanus Toxoids, Pertussis Vaccine, and Haemophilus Influenzae Type B

**Procedure Code(s):** 90720, 90721

## Diphtheria, Tetanus Toxoids, Pertussis Vaccine, Haemophilus Influenzae Type B and Poliovirus Vaccine

**Procedure Code:** 90698

## Diphtheria, Tetanus Toxoids, Acellular Pertussis Vaccine

**Procedure Code:** 90697

## Diphtheria, Tetanus Toxoids, Whole Cell Pertussis

**Procedure Code:** 90701

## Haemophilus Influenzae (Seasonal & Swine Flu) B Vaccine

**Procedure Code(s):** 90644, 90645, 90646, 90647, 90648, 90653, 90654, 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90663, 90664, 90666, 90667, 90668, 90672, 90685, 90686, 90687, 90688, 90698, 90720, 90721, 90748, G9142, Q2034, Q2035, Q2036, Q2037, Q2038, Q2039, 90674

## Hepatitis A and B: Adult

Procedure Code: 90636

## Hepatitis A Vaccine: Adult

Procedure Code: 90632

## Hepatitis A Vaccine: Pediatric/Adolescent

Procedure Code(s): 90633 (2 dose), 90634 (3 dose)

## Hepatitis B and Hemophilus Influenzae B

Procedure Code: 90748

## Hepatitis B Vaccine: Adult

Procedure Code: 90746

## Hepatitis B Vaccine: Pediatric/Adolescent

Procedure Code(s): 90743, 90744

## Hepatitis B Vaccine, Dialysis or Immunosuppressed Patient

Procedure Code(s): 90740, 90747

## Human Papilloma Virus (HPV): Types 6, 11, 16, 18 (Quadrivalent) Age 9—26

Procedure Code(s): 90649

## Human Papilloma Virus (HPV): Types 16, 18 (Bivalent) Age 9—26

Procedure Code: 90650

## Human Papilloma Virus (HPV): 9-Valent: Age 9 - 26

Procedure Code: 90651

## Influenza Virus Vaccine, Quad (RIV4)

Procedure Code: 90682

## Influenza Virus Vaccine, Quad (CCIIV4)

Procedure Code: 90756

## Japanese Encephalitis Vaccines

Procedure Code(s): 90735, 90738

## Measles, Mumps, Rubella and Varicella

Procedure Code: 90710

## Measles

Procedure Code: 90705

## Measles, Mumps and Rubella (MMR)

Procedure Code(s): 90707, 90708

## Meningococcal Conjugate Vaccine: Serogroups A, C, Y and W-135

Procedure Code(s): 90644, 90734, 90619

## Meningococcal Polysaccharide Vaccine

Procedure Code(s): 90733

## Meningococcal Recombinant Protein and Outer Membrane Vesicle Vaccine: Serogroup B (MenB-4C)

Procedure Code: 90620

## Meningococcal Recombinant Lipoprotein Vaccine: Serogroup B

Procedure Code: 90621

## Mumps

Procedure Code: 90704

## Pneumococcal Conjugate Vaccine: Age 2 Months +

Procedure Code(s): 90669, 90670

## Pneumococcal Conjugate Vaccine: Age 5 — 9 Years That Have Not Previously Received the Vaccine

Procedure Code: S0195

## Pneumococcal Polysaccharide Vaccine: Age 2 years and Older

Procedure Code: 90732

## Poliovirus

Procedure Code(s): 90696, 90698, 90700, 90701, 90712, 90713, 90723

## Rabies

Procedure Code(s): 90675, 90676

## Rotavirus

Procedure Code(s): 90680, 90681

## Rubella

Procedure Code: 90706

## Smallpox/Vaccine

Procedure Code: 90393

## Tetanus Toxoid

Procedure Code(s): 90644, 90696, 90698, 90700, 90701, 90702, 90703, 90714, 90715, 90718, 90719, 90720, 90721, 90723

## Typhoid

Procedure Code(s): 90690, 90691, 90692, 90693

## Varicella Virus (Chicken Pox)

Procedure Code: 90716

## Yellow Fever

Procedure Code: 90717

## Zoster (Shingles) Vaccine: Age 50 and Older

Procedure Code: 90736, 90750

## Prenatal

### Screening For Gestational Diabetes

Procedure Code(s): 82947, 82948, 82950, 82951, 82952, 82962, 83036 Any pregnancy or prenatal or maternity screening diagnoses codes

### Urinalysis

Procedure Code(s): 81000, 81001, 81002, 81003 cover with pregnancy diagnosis otherwise covered for all 2 per calendar year. Any pregnancy or prenatal or maternity screening diagnoses codes

### Blood and Urine Pregnancy Test

Procedure Code(s): 84702, 84703, 81025 pregnancy screening or pregnancy dx. Any pregnancy or prenatal or maternity screening diagnoses codes

### Pap

Procedure Code(s): 88150-88154, 88164-88167 Any pregnancy or prenatal or maternity screening diagnoses codes

### Ultrasound

Procedure Code(s): 76805-76817, 76825-76828, 93325 limited to 2 per pregnancy. Any pregnancy or prenatal or maternity screening diagnoses codes

### Routine Prenatal Genetic Tests

Procedure Code(s): 82105, 82106, 82107, 86336 Any pregnancy or prenatal or maternity screening diagnoses codes

### Herpes Test

Procedure Code(s): 87207 87531-87533 limited to 2 per pregnancy. Any pregnancy or prenatal or maternity screening diagnoses codes

### Obstetric Panel

Procedure Code(s): 80055, 80081 includes HIV test. Any pregnancy or prenatal or maternity screening diagnoses codes

### Rubella, Hepatitis B, Syphilis, Rh Blood Factor

Procedure Code(s): 87340 86762 86592 86850 86900-86906 Any pregnancy or prenatal or maternity screening diagnoses codes

### CBC/Hemoglobin

Procedure Code(s): 85007-85060 Any pregnancy or prenatal or maternity screening diagnoses codes

### Anemia Screening

Procedure Code(s): G0306, G0307 (CBC/Hemoglobin codes above). Any pregnancy or prenatal or maternity screening diagnoses codes

### Alcohol/Drug Misuse Counseling

Procedure Code(s): 99401-99404, 99408-99409, 99420, H0001-H0004, H0049, H0050 Any pregnancy or prenatal or maternity screening

diagnoses codes

## Venipuncture

**Procedure Code(s):** 36415, 36416 Any pregnancy or prenatal or maternity screening diagnoses codes when billed with appropriate codes